

Product Data Sheet

mmu-miR-7092-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications			
CIN1658	Synthetic	М				
Description	Synth	Synthetic miRNA Antagomir is used to inhibit the activity of target				
	mmu	-miR-7092-3p mRNA.				
Specificity	Antag	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by				
	block	ing miRNA regulation	of target gene expression efficiently. They are synthesized			
	to rec	duce the ability of end	logenous miRNAs to silence target mRNA transcripts.			
	They	can down-regulate th	e corresponding endogenous miRNAs. Our miRNA			
	antag	omir is single-strand	miRNA inhibitor carrying the chemically modifications			
	funct	ioning by blocking mi	RNA regulation of target gene expression efficiently.			
Form	Lyopł	nilized powder				
Gene Symbol	mmu	mmu-miR-7092-3p				
Accession No.	MIM	MIMAT0028091				
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The strand of the				
	antag	omir has 2 phosphor	othioates at the 5' end, 4 phosphorothioates, 1			
	chole	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
	Stabi	Stability of miRNA antagomir appears to be significantly higher than miRNA				
	inhib	itors. It exhibits enh	anced cellular uptake, stability and regulatory activity and			
	is rec	ommended for miRN	A functional studies in vitro and in vivo.			
Directions for	Use Briefl	y centrifuge tubes co	ntaining miRNA antagomir to ensure that the miRNA			
	pellet	t is located at the bot	com of the tube. Dissolve miRNA antagomir to a			
	conve	enient stock concentr	ation using the recommended volume of DEPC H2O (or			
	RNas	e-free water). For exa	mple: dissolve 10 nmol miRNA antagomir to 20 μM using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com